

ANALYTICAL REPORT

Eurofins Midland
1211 W. Florida Ave
Midland, TX 79701
Tel: (432)704-5440

Laboratory Job ID: 880-18264-1

Laboratory Sample Delivery Group: 1039 N. Moss ave
Client Project/Site: Ector County Utility District
Revision: 1

For:

Parkhill Smith & Cooper Inc.
4222 85th Street
Lubbock, Texas 79423

Attn: David Clausen



Authorized for release by:
10/25/2022 1:25:00 PM

John Builes, Project Manager
(561)558-4549
John.Builes@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.



Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	4
Client Sample Results	5
QC Sample Results	6
QC Association Summary	7
Lab Chronicle	8
Certification Summary	9
Method Summary	10
Sample Summary	11
Chain of Custody	12
Receipt Checklists	14

Definitions/Glossary

Client: Parkhill Smith & Cooper Inc.
Project/Site: Ector County Utility District

Job ID: 880-18264-1
SDG: 1039 N. Moss ave

Qualifiers

Metals

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
α	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Parkhill Smith & Cooper Inc.
Project/Site: Ector County Utility District

Job ID: 880-18264-1
SDG: 1039 N. Moss ave

Job ID: 880-18264-1

Laboratory: Eurofins Midland

Narrative

Job Narrative
880-18264-1

Comments

No additional comments.

Revision

The report being provided is a revision of the original report sent on 8/24/2022. The report (revision 1) is being revised due to: Revised report to include full COC. One of the pages was not scanned, so the laboratory was unaware this was for the Lead and Copper program.. All Samples were run to DW standard by a laboratory certified for the TCEQ LCR DW Program.

Receipt

The samples were received on 8/17/2022 1:00 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperature of the cooler at receipt was 5.9° C.

Metals

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Client Sample Results

Client: Parkhill Smith & Cooper Inc.
Project/Site: Ector County Utility District

Job ID: 880-18264-1
SDG: 1039 N. Moss ave

Client Sample ID: 6867 W. 29th

Lab Sample ID: 880-18264-1

Date Collected: 08/16/22 08:00

Matrix: Drinking Water

Date Received: 08/17/22 13:00

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	0.0426		0.00400	mg/L		08/22/22 11:45	08/23/22 11:49	1
Lead	<0.00200	U	0.00200	mg/L		08/22/22 11:45	08/23/22 11:49	1

Client Sample ID: 3542 N. Leslie Ave.

Lab Sample ID: 880-18264-2

Date Collected: 08/15/22 12:30

Matrix: Drinking Water

Date Received: 08/17/22 13:00

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	0.0180		0.00400	mg/L		08/22/22 11:45	08/23/22 12:08	1
Lead	<0.00200	U	0.00200	mg/L		08/22/22 11:45	08/23/22 12:08	1

Client Sample ID: 10537 W. Westland Dr.

Lab Sample ID: 880-18264-3

Date Collected: 08/16/22 14:00

Matrix: Drinking Water

Date Received: 08/17/22 13:00

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	0.0370		0.00400	mg/L		08/22/22 11:45	08/23/22 12:11	1
Lead	<0.00200	U	0.00200	mg/L		08/22/22 11:45	08/23/22 12:11	1

Client Sample ID: 12806 W. Barbara Dr.

Lab Sample ID: 880-18264-4

Date Collected: 08/16/22 08:00

Matrix: Drinking Water

Date Received: 08/17/22 13:00

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	0.0644		0.00400	mg/L		08/22/22 11:45	08/23/22 12:13	1
Lead	0.00375		0.00200	mg/L		08/22/22 11:45	08/23/22 12:13	1

Client Sample ID: 841 FM 1936

Lab Sample ID: 880-18264-5

Date Collected: 08/17/22 08:40

Matrix: Drinking Water

Date Received: 08/17/22 13:00

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	0.0369		0.00400	mg/L		08/22/22 11:45	08/23/22 12:16	1
Lead	<0.00200	U	0.00200	mg/L		08/22/22 11:45	08/23/22 12:16	1

Client Sample ID: 3849 N. Slater Ave.

Lab Sample ID: 880-18264-6

Date Collected: 08/17/22 08:30

Matrix: Drinking Water

Date Received: 08/17/22 13:00

Method: EPA 200.8 - Metals (ICP/MS) - Total Recoverable

Analyte	Result	Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	0.0508		0.00400	mg/L		08/22/22 11:45	08/23/22 12:18	1
Lead	<0.00200	U	0.00200	mg/L		08/22/22 11:45	08/23/22 12:18	1

Eurofins Midland

QC Sample Results

Client: Parkhill Smith & Cooper Inc.
 Project/Site: Ector County Utility District

Job ID: 880-18264-1
 SDG: 1039 N. Moss ave

Method: 200.8 - Metals (ICP/MS)

Lab Sample ID: MB 860-66032/1-A
Matrix: Drinking Water
Analysis Batch: 66256

Client Sample ID: Method Blank
Prep Type: Total Recoverable
Prep Batch: 66032

Analyte	MB Result	MB Qualifier	RL	Unit	D	Prepared	Analyzed	Dil Fac
Copper	<0.00400	U	0.00400	mg/L		08/22/22 11:45	08/23/22 11:42	1
Lead	<0.00200	U	0.00200	mg/L		08/22/22 11:45	08/23/22 11:42	1

Lab Sample ID: LCS 860-66032/2-A
Matrix: Drinking Water
Analysis Batch: 66256

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 66032

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Copper	0.100	0.09111		mg/L		91	85 - 115
Lead	0.100	0.09346		mg/L		93	85 - 115

Lab Sample ID: LCSD 860-66032/3-A
Matrix: Drinking Water
Analysis Batch: 66256

Client Sample ID: Lab Control Sample Dup
Prep Type: Total Recoverable
Prep Batch: 66032

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Copper	0.100	0.09194		mg/L		92	85 - 115	1	20
Lead	0.100	0.09294		mg/L		93	85 - 115	1	20

Lab Sample ID: LLCS 860-66032/4-A
Matrix: Drinking Water
Analysis Batch: 66256

Client Sample ID: Lab Control Sample
Prep Type: Total Recoverable
Prep Batch: 66032

Analyte	Spike Added	LLCS Result	LLCS Qualifier	Unit	D	%Rec	%Rec Limits
Copper	0.00400	0.003238	J	mg/L		81	50 - 150
Lead	0.00200	0.001745	J	mg/L		87	50 - 150

Lab Sample ID: 880-18264-1 MS
Matrix: Drinking Water
Analysis Batch: 66256

Client Sample ID: 6867 W. 29th
Prep Type: Total Recoverable
Prep Batch: 66032

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Copper	0.0426		0.100	0.1346		mg/L		92	70 - 130
Lead	<0.00200	U	0.100	0.09422		mg/L		94	70 - 130

Lab Sample ID: 880-18264-1 MSD
Matrix: Drinking Water
Analysis Batch: 66256

Client Sample ID: 6867 W. 29th
Prep Type: Total Recoverable
Prep Batch: 66032

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Copper	0.0426		0.100	0.1301		mg/L		87	70 - 130	3	20
Lead	<0.00200	U	0.100	0.09281		mg/L		93	70 - 130	2	20

QC Association Summary

Client: Parkhill Smith & Cooper Inc.
 Project/Site: Ector County Utility District

Job ID: 880-18264-1
 SDG: 1039 N. Moss ave

Metals

Prep Batch: 66032

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-18264-1	6867 W. 29th	Total Recoverable	Drinking Water	200.8	
880-18264-2	3542 N. Leslie Ave.	Total Recoverable	Drinking Water	200.8	
880-18264-3	10537 W. Westland Dr.	Total Recoverable	Drinking Water	200.8	
880-18264-4	12806 W. Barbara Dr.	Total Recoverable	Drinking Water	200.8	
880-18264-5	841 FM 1936	Total Recoverable	Drinking Water	200.8	
880-18264-6	3849 N. Slater Ave.	Total Recoverable	Drinking Water	200.8	
MB 860-66032/1-A	Method Blank	Total Recoverable	Drinking Water	200.8	
LCS 860-66032/2-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	
LCSD 860-66032/3-A	Lab Control Sample Dup	Total Recoverable	Drinking Water	200.8	
LLCS 860-66032/4-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	
880-18264-1 MS	6867 W. 29th	Total Recoverable	Drinking Water	200.8	
880-18264-1 MSD	6867 W. 29th	Total Recoverable	Drinking Water	200.8	

Analysis Batch: 66256

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
880-18264-1	6867 W. 29th	Total Recoverable	Drinking Water	200.8	66032
880-18264-2	3542 N. Leslie Ave.	Total Recoverable	Drinking Water	200.8	66032
880-18264-3	10537 W. Westland Dr.	Total Recoverable	Drinking Water	200.8	66032
880-18264-4	12806 W. Barbara Dr.	Total Recoverable	Drinking Water	200.8	66032
880-18264-5	841 FM 1936	Total Recoverable	Drinking Water	200.8	66032
880-18264-6	3849 N. Slater Ave.	Total Recoverable	Drinking Water	200.8	66032
MB 860-66032/1-A	Method Blank	Total Recoverable	Drinking Water	200.8	66032
LCS 860-66032/2-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	66032
LCSD 860-66032/3-A	Lab Control Sample Dup	Total Recoverable	Drinking Water	200.8	66032
LLCS 860-66032/4-A	Lab Control Sample	Total Recoverable	Drinking Water	200.8	66032
880-18264-1 MS	6867 W. 29th	Total Recoverable	Drinking Water	200.8	66032
880-18264-1 MSD	6867 W. 29th	Total Recoverable	Drinking Water	200.8	66032

Lab Chronicle

Client: Parkhill Smith & Cooper Inc.
 Project/Site: Ector County Utility District

Job ID: 880-18264-1
 SDG: 1039 N. Moss ave

Client Sample ID: 6867 W. 29th
Date Collected: 08/16/22 08:00
Date Received: 08/17/22 13:00

Lab Sample ID: 880-18264-1
Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			50 mL	50 mL	66032	08/22/22 11:45	MD	EET HOU
Total Recoverable	Analysis	200.8		1			66256	08/23/22 11:49	SHZ	EET HOU

Client Sample ID: 3542 N. Leslie Ave.
Date Collected: 08/15/22 12:30
Date Received: 08/17/22 13:00

Lab Sample ID: 880-18264-2
Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			50 mL	50 mL	66032	08/22/22 11:45	MD	EET HOU
Total Recoverable	Analysis	200.8		1			66256	08/23/22 12:08	SHZ	EET HOU

Client Sample ID: 10537 W. Westland Dr.
Date Collected: 08/16/22 14:00
Date Received: 08/17/22 13:00

Lab Sample ID: 880-18264-3
Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			50 mL	50 mL	66032	08/22/22 11:45	MD	EET HOU
Total Recoverable	Analysis	200.8		1			66256	08/23/22 12:11	SHZ	EET HOU

Client Sample ID: 12806 W. Barbara Dr.
Date Collected: 08/16/22 08:00
Date Received: 08/17/22 13:00

Lab Sample ID: 880-18264-4
Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			50 mL	50 mL	66032	08/22/22 11:45	MD	EET HOU
Total Recoverable	Analysis	200.8		1			66256	08/23/22 12:13	SHZ	EET HOU

Client Sample ID: 841 FM 1936
Date Collected: 08/17/22 08:40
Date Received: 08/17/22 13:00

Lab Sample ID: 880-18264-5
Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			50 mL	50 mL	66032	08/22/22 11:45	MD	EET HOU
Total Recoverable	Analysis	200.8		1			66256	08/23/22 12:16	SHZ	EET HOU

Client Sample ID: 3849 N. Slater Ave.
Date Collected: 08/17/22 08:30
Date Received: 08/17/22 13:00

Lab Sample ID: 880-18264-6
Matrix: Drinking Water

Prep Type	Batch Type	Batch Method	Run	Dil Factor	Initial Amount	Final Amount	Batch Number	Prepared or Analyzed	Analyst	Lab
Total Recoverable	Prep	200.8			50 mL	50 mL	66032	08/22/22 11:45	MD	EET HOU
Total Recoverable	Analysis	200.8		1			66256	08/23/22 12:18	SHZ	EET HOU

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200

Accreditation/Certification Summary

Client: Parkhill Smith & Cooper Inc.
Project/Site: Ector County Utility District

Job ID: 880-18264-1
SDG: 1039 N. Moss ave

Laboratory: Eurofins Houston

The accreditations/certifications listed below are applicable to this report.

Authority	Program	Identification Number	Expiration Date
Texas	NELAP	T104704215-22-47	06-30-23

- 1
- 2
- 3
- 4
- 5
- 6
- 7
- 8
- 9
- 10
- 11
- 12
- 13

Method Summary

Client: Parkhill Smith & Cooper Inc.
Project/Site: Ector County Utility District

Job ID: 880-18264-1
SDG: 1039 N. Moss ave

Method	Method Description	Protocol	Laboratory
200.8	Metals (ICP/MS)	EPA	EET HOU
200.8	Preparation, Total Recoverable Metals	EPA	EET HOU

Protocol References:

EPA = US Environmental Protection Agency

Laboratory References:

EET HOU = Eurofins Houston, 4145 Greenbriar Dr, Stafford, TX 77477, TEL (281)240-4200



Sample Summary

Client: Parkhill Smith & Cooper Inc.
Project/Site: Ector County Utility District

Job ID: 880-18264-1
SDG: 1039 N. Moss ave

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
880-18264-1	6867 W. 29th	Drinking Water	08/16/22 08:00	08/17/22 13:00
880-18264-2	3542 N. Leslie Ave.	Drinking Water	08/15/22 12:30	08/17/22 13:00
880-18264-3	10537 W. Westland Dr.	Drinking Water	08/16/22 14:00	08/17/22 13:00
880-18264-4	12806 W. Barbara Dr.	Drinking Water	08/16/22 08:00	08/17/22 13:00
880-18264-5	841 FM 1936	Drinking Water	08/17/22 08:40	08/17/22 13:00
880-18264-6	3849 N. Slater Ave.	Drinking Water	08/17/22 08:30	08/17/22 13:00

1

2

3

4

5

6

7

8

9

10

11

12

13

ECTOR COUNTY UTILITY DISTRICT

PWS Name: **ECTOR COUNTY UTILITY DISTRICT**
 PWS ID #: **TX**
 PWS Address: **1039 N. MOSS AVE.**
 PWS Contact Name: **DAVE CLAUSEN**
 PWS Contact Phone: **432-556-2056**
 Laboratory Name: **EMOFIOS XENO LLC - HOUSTON**
 Laboratory Address: **4117 GREENOAK DR STAFFORD TX 77477**
 TCEQ Laboratory ID #: **T104704215**
 Laboratory Contact Name: **Fulian Martinez**
 Laboratory Contact Phone #: **281-240-4260**

PWS Tap Sample Checklist (✓)
 Samples filled to 1 Liter line
 Samples taken from an inside sink
 Samples collected from cold water tap(s)
 Sinks were rinsed for 6 hours prior to collection
 Sample containers w/ labels and homeowner instructions
 Samples delivered to lab within 14 days of collection

Actual sample temperature: **5.7**
 Corrected sample temperature: **5.9**
 Thermometer ID #: **T28**

I acknowledge that the information on this form is true and correct and sites selected for sampling follow the approved TCEQ Form 20683 and the PWS Monitoring Plan. Falsification of this form or tampering with water samples is a crime punishable under state and/or federal law, Texas Penal Code, Title 8, Chapter 37.20

Name of Authorized PWS Representative (Print): **Jesse A. Hernandez**
 Signature: *Jesse A. Hernandez*
 Date: **8-17-2022**

Facility ID (e.g. DSO1, PCUD001)	Sample Point ID (e.g. ELCR)	Sample Location (Address of sample point - 123 Main St, Kitchen sink)	Sample Faucet Last Used		Sample Collected		Replacement	Original Sample ID #	Original Collection Date (MMDDYY)	Lab Sample ID #	Lab Preservation		Sample Reflection Code (if applicable)
			Date (MMDDYY)	Time - 24 HR (HHMM)	Date (MMDDYY)	Time - 24 HR (HHMM)					Date (MMDDYY)	Time - 24 HR (HHMM)	
DS01	LCR001	6867 W. 29th.	8-15-22	11:00 P.M.	8-16-22	08:00	✓			880-18264-1	081722	1500	
DS01	LCR002	3542 N. Leslie Ave.	8-14-22	11:30 P.M.	8-15-22	12:30				880-18264-2	081722	1500	
DS01	LCR003	10537 W. Westland Dr.	8-16-22	6:30 P.M.	8-16-22	2:00				880-18264-3	081722	1500	
DS01	LCR004	12806 W. Barbara Dr.	8-15-22	12:00 P.M.	8-16-22	8:00				880-18264-4	081722	1500	
DS01	LCR005	841 FM 1936	8-16-22	5:00 P.M.	8-17-22	8:40				880-18264-5	081722	1500	
DS01	LCR006	3849 N. Slater Ave.	8-16-22	2:06 P.M.	8-17-22	8:30				880-18264-6	081722	1500	



880-18264 Chain of Custody

Chain of Custody
 Retained by (Signature): *Jesse A. Hernandez*
 Retained by Counter (Signature): *Jesse A. Hernandez*
 Date/Time: **8-17-22 1300**
 Date/Time: **8-17-22 1300**
 Retained by Lab (Signature): *Paul D...*
 Date/Time: **8/17/22 1300**

Eurofins Midland Temp: 4.8 IR ID:HOU-339
 1211 W Florida Ave C/F -1.4
 Midland, TX 79701 Corrected Temp: 3.4
 Phone: 432-704-5440

Chain of Custody Record



Client Information (Sub Contract Lab)

Client Contact: _____ Phone: _____
 Shipping/Receiving: _____ E-Mail: John.Bulles@et.eurofins.com
 Eurofins Environment Testing South Cent: _____ Accreditations Required (see note): NELAP Texas
 Address: 4145 Greenbrier Dr Due Date Requested: 8/23/2022
 City: Stafford TAT Requested (days): _____
 State, Zip: TX, 77477
 Phone: 281-240-4200(Tel) PO #: _____
 Email: _____ WO #: _____
 Project Name: _____ Project #: 88001354
 Ector County Utility District SSO# _____
 Site: _____

Sampler	Lab PM:	Carrier Tracking No(s):	COC No:
	Bulles, John		880-5016.1
	E-Mail: John.Bulles@et.eurofins.com	State of Origin: Texas	Page 1 of 1
			Job #: 880-18264-1

Sample Identification Client ID (Lab ID)	Sample Date	Sample Time	Sample Type (G=Comp, RT=Trace, A=Add)	Matrix (Inorganic, Semio, Organobio)	Field Filtered Sample (Yes or No)	Perform MS/MSD (Yes or No)	Analysis Requested	Total Number of Containers	Special Instructions/Note:
6867 W 29th (880-18264-1)	8/16/22	08:00	Central	Drinking Water	X	200.8/200.8_P_TR Copper and Lead		2	
3542 N Leslie Ave (880-18264-2)	8/15/22	12:30	Central	Drinking Water	X			2	
10537 W Westland Dr (880-18264-3)	8/16/22	14:00	Central	Drinking Water	X			2	
12806 W Barbara Dr (880-18264-4)	8/16/22	08:00	Central	Drinking Water	X			2	
841 FM 1936 (880-18264-5)	8/17/22	08:40	Central	Drinking Water	X			2	
3849 N Slater Ave (880-18264-6)	8/17/22	08:30	Central	Drinking Water	X			2	

Note: Since laboratory accreditations are subject to change, Eurofins Environment Testing South Central, LLC places the ownership of method, analyte & accreditation compliance upon our subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin, listed above for analysis/trace/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing South Central, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing South Central, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody assenting to said compliance to Eurofins Environment Testing South Central, LLC.

Possible Hazard Identification
 Unconfirmed _____
 Deliverable Requested I, II, III, IV Other (specify) _____ Primary Deliverable Rank: 2
 Empty Kit Requisitioned by: _____ Date: _____
 Requisitioned by: _____ Date/Time: _____ Company: _____
 Requisitioned by: _____ Date/Time: _____ Company: _____
 Custody Seals Intact: Yes No Custody Seal No. _____
 Cooler Temperature(s) °C and Other Remarks: _____

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For _____ Months

Special Instructions/QC Requirements: _____

Method of Shipment: _____

Received by: Fedex Date/Time: 8-18-22 10:27 Company: Fedex
 Received by: _____ Date/Time: _____ Company: _____
 Received by: _____ Date/Time: _____ Company: _____

Login Sample Receipt Checklist

Client: Parkhill Smith & Cooper Inc.

Job Number: 880-18264-1
SDG Number: 1039 N. Moss ave

Login Number: 18264
List Number: 1
Creator: Rodriguez, Leticia

List Source: Eurofins Midland

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	N/A	
Sample custody seals, if present, are intact.	N/A	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	



Login Sample Receipt Checklist

Client: Parkhill Smith & Cooper Inc.

Job Number: 880-18264-1
SDG Number: 1039 N. Moss ave

Login Number: 18264
List Number: 2
Creator: Bolch, Taylor

List Source: Eurofins Houston
List Creation: 08/18/22 12:56 PM

Question	Answer	Comment
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	N/A	
There are no discrepancies between the containers received and the COC.	True	
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	True	

